

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10	(valid or invalid) same ((configuration) near2 (data or information)) same (correct\$3) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:37
L5	1	(authentic) same ((configuration) near2 (data or information)) same (correct\$3) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:38
L6	1	(authentic) same ((configuration)) same (correct\$3) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:42
L10	48	alert same invalid same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:18
L11	0	mobile adj2 subscriber adj2 database same configuration same (valid or invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:49
L12	2	subscriber adj2 database same configuration same (valid or invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:50
L13	152	configuration same (configuration near2 database) same (valid or invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:51
L14	1285	455/418-419.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:52

L15	1	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:53
L16	101495	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:53
L17	6	13 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:14
L18	0	fix\$3 same ((phone or mobile) near3 configuration) same (valid or invalid) same (automatica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:16
L19	0	(fix\$3 or correct\$3) same ((phone or mobile) near3 configuration) same (valid or invalid) same (automatica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:16
L20	98	(fix\$3 or correct\$3) same (configuration) same (valid or invalid) same (automatica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:16
L21	5	alert same invalid same configuration same (correct\$3 or fix\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
L22	3	10 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:42

L23	320	(alert\$3 or alarm) same (invalid or valid) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:49
L24	1	23 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:45
L25	14	23 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:46
L26	510	(alert\$3 or notif\$7) same (invalid or valid) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:49
L27	67	(alert\$3 or notif\$7) same (invalid or valid) same (configuration adj2 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:55
L28	2	"20030037040"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:25
S1	102202	(up\$1dat\$3 or up\$3grad\$3 or renew\$3) same (database or memory or storage) near6 (record or data or info or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:16
S2	15635	(up\$1dat\$3 or up\$3grad\$3 or renew\$3) same (database or memory or storage) near6 (record or data or info or information) same (service adj2 provider or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:17

S3	242508	(determin\$3 or analyz\$3) same (chang\$3 or modi\$4) same (record or data or info or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:20
S4	205978	(transmit\$4 or send\$3 or direct\$3) near6 (info record data configuration) same (server provider computer database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:21
S5	3252	S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:21
S6	810	455/418.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:22
S7	13	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:22
S8	13	("5062132" "5117501" "5745850" "5839067" "6026293" "6122523" "6167253" "6195547" "6247142" "6285869" "6321096" "6449479" "6587684").PN. OR ("6795703"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 12:47
S9	16	("5564068" "5577103" "5579375" "5913165" "5915220" "5953653" "5978669" "6026291" "6067454" "6108540").PN. OR ("6449479"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 13:05
S10	170	455/414.2.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 16:03
S11	15635	(up\$1dat\$3 or up\$3grad\$3 or renew\$3) same (database or memory or storage) near6 (record or data or info or information) same (service adj2 provider or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:07

S12	242508	(determin\$3 or analyz\$3) same (chang\$3 or modi\$4) same (record or data or info or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:05
S13	205978	(transmit\$4 or send\$3 or direct\$3) near6 (info record data configuration) same (server provider computer database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:05
S14	3252	S11 and S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:05
S15	8	S14 and S10	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 13:49
S16	79501	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 13:49
S17	229	S16 and S14	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 13:49
S18	810	455/418.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:50
S19	209	S17 not S18 not S10	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 14:07
S20	17053	(up\$1dat\$3 or up\$3grad\$3 or renew\$3) same (configuration configuring setting) same (info or data or record or profile) same (server database or memory or storage or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:11
S21	2719	S20 and (configuration or settings) same ((mobile subscriber user wireless communication cell cellular) adj2 (phone telephone device apparatus unit station))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:13

S22	101269	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:13
S23	404	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:13
S24	28	S23 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:17
S25	9	S21 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:18
S26	677	455/419.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:19
S27	33	S26 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:19
S28	170	455/414.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:37
S29	2479	((configuration or configur\$3 or setting) same (upgrad\$3 or updat\$3)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 15:36
S30	2	S29 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 15:36
S31	17	S29 and S18	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 15:40
S32	16	S26 and S29	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 15:41

S33	6	S28 and S18	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 15:43
S34	119	S29 and S16	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 16:03
S35	170	455/414.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 16:05
S36	170	455/414.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:30
S37	4257081	@ad<="20031112"	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:30
S38	117463	configur\$4 and updat\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:31
S39	1405	455/414.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:31
S40	308	S37 and S38 and S39	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:31
S41	172	455/414.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:38
S42	64	S38 and S41	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 13:38
S43	2	("6463289" "6658646").PN. OR ("6909890").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/01 15:28
S44	2004	(configuration adj2 (data information parameter)) same (valid\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:35
S45	116	S44 same (correct\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:32
S46	79677	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:33
S47	5	S45 and S46	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:34
S48	2179	(configuration adj2 (data information parameter)) same (valid\$5 or invalid)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:35

S49	116	S48 and S45	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:36
S50	5	S48 and S47	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/01 15:43
S54	2	"20040116109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S55	0	S54 and valid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S56	2725	(valid or invalid) same ((configuration or setting) near2 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:41
S57	189	S56 same (correct\$3 arrang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:13
S58	823	455/418.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:13
S59	1	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:14
S60	101495	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:14

S61	6	S57 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:14
S62	167	(valid or invalid) same ((configuration or setting) near2 (data or information)) same (correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:33
S63	9	((valid or invalid) same ((configuration or setting) near2 (data or information)) same (correct\$3)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:18
S64	5607	(valid or invalid) same ((configuration or setting)) same (correct\$3 chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:42
S65	5	S64 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:43
S66	158	S64 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:43